RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	09	5	32,	7//	B
Source:		1.1	3.V/	Q	
Date Processed by STIC:		IF	8-00	ł –	

ENTERED



IFW16

RAW SEQUENCE LISTING DATE: 11/18/2004 PATENT APPLICATION: US/09/582,711B TIME: 16:48:43

Input Set : A:\SeqList 5037 US.txt

Output Set: N:\CRF4\11182004\I582711B.raw

```
3 <110> APPLICANT: Serre, Guy
             Girbal-Neuhauser, Elisabeth
     4
             Vincent, Christian
     5
             Simon, Micheal
      6
     7
             Sebbag, Mireille
             Dalbon, Pascal
             Jolivet-Reynaud, Colette
     9
             Arnaud, Michael
     10
     12 <120> TITLE OF INVENTION: Peptide Epitopes Recognized by Antifilaggrin Autoantibodies
in
              Serum from Rheumatoid Arthritis Patients
     13
     15 <130> FILE REFERENCE: 045636-5037-US
     17 <140> CURRENT APPLICATION NUMBER: US 09/582,711B
     18 <141> CURRENT FILING DATE: 2000-06-30
     20 <150> PRIOR APPLICATION NUMBER: PCT/FR98/02899
     21 <151> PRIOR FILING DATE: 1998-12-29
     23 <160> NUMBER OF SEQ ID NOS: 13
     25 <170 > SOFTWARE: PatentIn version 3.2
     27 <210> SEQ ID NO: 1
     28 <211> LENGTH: 24
     29 <212> TYPE: DNA
     30 <213> ORGANISM: Artificial Sequence
     32 <220> FEATURE:
     33 <223> OTHER INFORMATION: PCR primer to amplify filaggrin
     35 <400> SEQUENCE: 1
                                                                                24
    36 ttcctatacc aggtgagcac tcat
    39 <210> SEQ ID NO: 2
     40 <211> LENGTH: 25
     41 <212> TYPE: DNA
     42 <213> ORGANISM: Artificial Sequence
     44 <220> FEATURE:
     45 <223> OTHER INFORMATION: PCR primer to amplify filaggrin
     47 <400> SEQUENCE: 2
                                                                                25
     48 agaccetgaa egtecagace gtece
     51 <210> SEQ ID NO: 3
    52 <211> LENGTH: 49
    53 <212> TYPE: PRT
     54 <213 > ORGANISM: Homo sapiens
    56 <400> SEQUENCE: 3
    58 Ser Thr Gly His Ser Gly Ser Gln His Ser His Thr Thr Gln Gly
                                            10
    62 Arg Ser Asp Ala Ser Arg Gly Ser Ser Gly Ser Arg Ser Thr Ser Arg
     66 Glu Thr Arg Asp Gln Glu Gln Ser Gly Asp Gly Ser Arg His Ser Gly
```

RAW SEQUENCE LISTING

67

35

PATENT APPLICATION: US/09/582,711B

DATE: 11/18/2004 TIME: 16:48:43

Input Set : A:\SeqList 5037 US.txt

40

Output Set: N:\CRF4\11182004\I582711B.raw

```
45
     70 Ser
     74 <210> SEQ ID NO: 4
     75 <211> LENGTH: 37
     76 <212> TYPE: PRT
     77 <213> ORGANISM: Homo sapiens
     79 <400> SEQUENCE: 4
     81 Ser Gln Asp Arg Asp Ser Gln Ala Gln Ser Glu Asp Ser Glu Arg Arg
     85 Ser Ala Ser Ala Ser Arg Asn His Arg Gly Ser Ala Gln Glu Gln Ser
     86
                                         25
     89 Arg Asp Gly Ser Arg
     90
                35
     93 <210> SEQ ID NO: 5
     94 <211> LENGTH: 14
     95 <212> TYPE: PRT
     96 <213> ORGANISM: Homo sapiens
     98 <400> SEQUENCE: 5
     100 Glu Gln Ser Ala Asp Ser Ser Arg His Ser Gly Ser Gly His
     101 1
     104 <210> SEQ ID NO: 6
     105 <211> LENGTH: 14
     106 <212> TYPE: PRT
     107 <213> ORGANISM: Homo sapiens
     109 <400> SEQUENCE: 6
     111 Glu Ser Ser Arg Asp Gly Ser Arg His Pro Arg Ser His Asp
     112 1
     115 <210> SEQ ID NO: 7
     116 <211> LENGTH: 5
     117 <212> TYPE: PRT
     118 <213> ORGANISM: Artificial Sequence
     120 <220> FEATURE:
     121 <223> OTHER INFORMATION: epitope recognized by anti-filaggrin antibody
     124 <220> FEATURE:
     125 <221> NAME/KEY: MISC_FEATURE
     126 <222> LOCATION: (1)..(1)
     127 <223> OTHER INFORMATION: Xaa may be Ser or Gly
     129 <220> FEATURE:
     130 <221> NAME/KEY: MISC FEATURE
     131 <222> LOCATION: (3)..(3)
     132 <223> OTHER INFORMATION: Xaa is citrulline
     134 <220> FEATURE:
     135 <221> NAME/KEY: MISC FEATURE
     136 <222> LOCATION: (5)..(5)
     137 <223> OTHER INFORMATION: Xaa may be Ser or Pro
     139 <400> SEQUENCE: 7
W--> 141 Xaa Ser Xaa His Xaa
     142 1
     145 <210> SEQ ID NO: 8
```

RAW SEQUENCE LISTING DATE: 11/18/2004 PATENT APPLICATION: US/09/582,711B TIME: 16:48:43 Input Set : A:\SeqList 5037 US.txt Output Set: N:\CRF4\11182004\I582711B.raw 146 <211> LENGTH: 6 147 <212> TYPE: PRT 148 <213> ORGANISM: Artificial Sequence 150 <220> FEATURE: 151 <223> OTHER INFORMATION: epitope recognized by anti-filaggrin antibody 154 <220> FEATURE: 155 <221> NAME/KEY: MISC FEATURE 156 <222> LOCATION: (1)..(1) 157 <223> OTHER INFORMATION: Xaa may be Asp 159 <220> FEATURE: 160 <221> NAME/KEY: MISC FEATURE 161 <222> LOCATION: (2)..(2) 162 <223> OTHER INFORMATION: Xaa may be Ser or Gly 164 <220> FEATURE: 165 <221> NAME/KEY: MISC_FEATURE 166 <222> LOCATION: (4)..(4) 167 <223> OTHER INFORMATION: Xaa is citrulline 169 <220> FEATURE: 170 <221> NAME/KEY: MISC_FEATURE 171 <222> LOCATION: (6)..(6) 172 <223> OTHER INFORMATION: Xaa may be Ser or Pro 174 <400> SEQUENCE: 8 W--> 176 Xaa Xaa Ser Xaa His Xaa 180 <210> SEQ ID NO: 9 181 <211> LENGTH: 7 182 <212> TYPE: PRT 183 <213> ORGANISM: Artificial Sequence 185 <220> FEATURE: 186 <223> OTHER INFORMATION: epitope recognized by anti-filaggrin antibody 189 <220> FEATURE: 190 <221> NAME/KEY: MISC FEATURE 191 <222> LOCATION: (1)..(1) 192 <223> OTHER INFORMATION: Xaa may be Asp 194 <220> FEATURE: 195 <221> NAME/KEY: MISC_FEATURE 196 <222> LOCATION: (2)..(2) 197 <223> OTHER INFORMATION: Xaa may be Ser or Gly 199 <220> FEATURE: 200 <221> NAME/KEY: MISC FEATURE 201 <222> LOCATION: (4)..(4) 202 <223> OTHER INFORMATION: Xaa is citrulline 204 <220> FEATURE: 205 <221> NAME/KEY: MISC_FEATURE 206 <222> LOCATION: (6)..(6)

209 <220> FEATURE:

210 <221> NAME/KEY: MISC FEATURE 211 <222> LOCATION: (7)..(7)

207 <223> OTHER INFORMATION: Xaa may be Ser or Pro

177 1

DATE: 11/18/2004

TIME: 16:48:43

Input Set : A:\SeqList 5037 US.txt Output Set: N:\CRF4\11182004\I582711B.raw 212 <223> OTHER INFORMATION: Xaa may be Gly or Arg 214 <400> SEQUENCE: 9 W--> 216 Xaa Xaa Ser Xaa His Xaa Xaa 217 1 220 <210> SEQ ID NO: 10 221 <211> LENGTH: 7 222 <212> TYPE: PRT 223 <213> ORGANISM: Artificial Sequence 225 <220> FEATURE: 226 <223> OTHER INFORMATION: epitope recognized by anti-filaggrin antibody 229 <220> FEATURE: 230 <221> NAME/KEY: MISC_FEATURE 231 <222> LOCATION: (1)..(2) 232 <223> OTHER INFORMATION: Xaa may be any amino acid 234 <220> FEATURE: 235 <221> NAME/KEY: MISC_FEATURE 236 <222> LOCATION: (4)..(4) 237 <223> OTHER INFORMATION: Xaa is citrulline 239 <220> FEATURE: 240 <221> NAME/KEY: MISC FEATURE 241 <222> LOCATION: (6)..(7) 242 <223> OTHER INFORMATION: Xaa may be any amino acid 244 <400> SEQUENCE: 10 W--> 246 Xaa Xaa Ser Xaa His Xaa Xaa 247 1 250 <210> SEQ ID NO: 11 251 <211> LENGTH: 7 252 <212> TYPE: PRT 253 <213> ORGANISM: Artificial Sequence 255 <220> FEATURE: 256 <223> OTHER INFORMATION: epitope recognized by anti-filaggrin antibody 259 <220> FEATURE: 260 <221> NAME/KEY: MISC FEATURE 261 <222> LOCATION: (1)..(1) 262 <223> OTHER INFORMATION: Xaa may be any amino acid 264 <220> FEATURE: 265 <221> NAME/KEY: MISC_FEATURE 266 <222> LOCATION: (2)..(2) 267 <223> OTHER INFORMATION: Xaa may be Ser or Gly 269 <220> FEATURE: 270 <221> NAME/KEY: MISC_FEATURE 271 <222> LOCATION: (4)..(4) 272 <223> OTHER INFORMATION: Xaa is citrulline 274 <220> FEATURE: 275 <221> NAME/KEY: MISC_FEATURE 276 <222> LOCATION: (6)..(6) 277 <223> OTHER INFORMATION: Xaa may be Ser or Pro 279 <220> FEATURE: 280 <221> NAME/KEY: MISC_FEATURE

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/582,711B

DATE: 11/18/2004

TIME: 16:48:43

Input Set : A:\SeqList 5037 US.txt Output Set: N:\CRF4\11182004\I582711B.raw 281 <222> LOCATION: (7)..(7) 282 <223> OTHER INFORMATION: Xaa may be any amino acid 284 <400> SEQUENCE: 11 W--> 286 Xaa Xaa Ser Xaa His Xaa Xaa 287 1 290 <210> SEQ ID NO: 12 291 <211> LENGTH: 7 292 <212> TYPE: PRT 293 <213> ORGANISM: Artificial Sequence 295 <220> FEATURE: 296 <223> OTHER INFORMATION: epitope recognized by anti-filaggrin antibody 299 <220> FEATURE: 300 <221> NAME/KEY: MISC_FEATURE 301 <222> LOCATION: (1)..(1) 302 <223> OTHER INFORMATION: Xaa may be Asp 304 <220> FEATURE: 305 <221> NAME/KEY: MISC_FEATURE 306 <222> LOCATION: (2)..(2) 307 <223> OTHER INFORMATION: Xaa may be Ser or Gly 309 <220> FEATURE: 310 <221> NAME/KEY: MISC FEATURE 311 <222> LOCATION: (4)..(4) 312 <223> OTHER INFORMATION: Xaa is citrulline 314 <220> FEATURE: 315 <221> NAME/KEY: MISC FEATURE 316 <222> LOCATION: (6)..(6) 317 <223> OTHER INFORMATION: Xaa may be Ser or Pro 319 <220> FEATURE: 320 <221> NAME/KEY: MISC_FEATURE 321 <222> LOCATION: (7)..(7) 322 <223> OTHER INFORMATION: Xaa may be any amino acid 324 <400> SEQUENCE: 12 W--> 326 Xaa Xaa Ser Xaa His Xaa Xaa 327 1 330 <210> SEQ ID NO: 13 331 <211> LENGTH: 7 332 <212> TYPE: PRT 333 <213> ORGANISM: Artificial Sequence 335 <220> FEATURE: 336 <223> OTHER INFORMATION: epitope recognized by anti-filaggrin antibody 339 <220> FEATURE: 340 <221> NAME/KEY: MISC_FEATURE 341 <222> LOCATION: (1)..(1) 342 <223> OTHER INFORMATION: Xaa may be Asp 344 <220> FEATURE: 345 <221> NAME/KEY: MISC FEATURE 346 <222> LOCATION: (2)..(2) 347 <223> OTHER INFORMATION: Xaa may be Ser or Gly 349 <220> FEATURE:

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/582,711B

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/09/582,711B

DATE: 11/18/2004 TIME: 16:48:44

Input Set : A:\SeqList 5037 US.txt

Output Set: N:\CRF4\11182004\I582711B.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:7; Xaa Pos. 1,3,5 Seq#:8; Xaa Pos. 1,2,4,6 Seq#:9; Xaa Pos. 1,2,4,6,7 Seq#:10; Xaa Pos. 1,2,4,6,7 Seq#:11; Xaa Pos. 1,2,4,6,7 Seq#:12; Xaa Pos. 1,2,4,6,7 Seq#:13; Xaa Pos. 1,2,4,6,7

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/582,711B

DATE: 11/18/2004 TIME: 16:48:44

Input Set : A:\SeqList 5037 US.txt

Output Set: N:\CRF4\11182004\I582711B.raw

L:141	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEO	TD# - 7	after pos.:0
T:T\0	M:341	W:	(46)	"n"	or	"Xaa"	used.	for	SEO	TD#•8	after nos .n
11:210	M:341	W:	(46)	"n"	or	"Xaa"	used.	for	SEO	TD# • 9	after neg . 0
11:240	M:341	w:	(46)	"n"	or	"Xaa"	used,	for	SEO	TD# - 10	after nog .n
11:200	M:341	w:	(46)	"n"	or	"Xaa"	used,	for	SEO	TD# - 11	after nog .0
ь:326	M:341	w :	(46)	"n"	or	"Xaa"	used.	for	SEO	TD# . 12	after neg . A
L:366	M:341	W :	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:13	after pos.:0